

An effective granular bait insecticide that eliminates ants the only sure way - by eliminating the Queen.



- Highly attractive to specific ant species
- Easy, acceptable and low risk
- **■** Broad spectrum of use locations

The Chemical Company



Amdro® Granular Ant Bait is carried by worker ants into the nest as food for the colony where it is eaten and fed to the queen, achieving complete colony elimination.

Amdro Granular Ant Bait is highly attractive to specific ant species, namely the singapore ant, coastal brown ant, tropical fire ant (ginger ant), red imported fire ant and green-head ant.

Amdro Granular Ant Bait can be used almost anywhere, and is approved for use on gardens, lawns, parks, golf courses, sports grounds, driveways, paths, patios and other non-crop land.

Amdro eliminates these ant species by eliminating the Queen.



Coastal brown ants

(Pheidole megacephala)
Common in most populated areas around Australia. Most worker ants are 2.0mm – 2.5mm long and uniformly dark shiny brown in colour.
Some worker ants are 3.5mm – 4.5mm long with greatly enlarged

heads. These ants excavate sand along paths, driveways, paving stones and lawns. They usually will not bite or sting, and have no smell when crushed.



Tropical fire ants or Ginger ants

(Solenopsis geminata)
Most commonly found in tropical
and sub tropical areas. Workers
vary in length from 2.4mm –
6.0mm. They are light yellow brown
to dark brown black in colour. They

have a very painful sting, and have no smell when crushed.



Singapore ants

(Monomorium destructor)
Most commonly found in tropical
and sub tropical areas. Worker
ants vary in size from 1.8mm –
3.0mm long. Their heads and
upper bodies are light brown in
colour, the back segment of their

bodies is a darker brown. They move slowly in single file and continuous trails. Singapore ants are very destructive as they can chew through plastic and rubber. They can bite and sting. They have no smell when crushed.



Red imported fire ants

(Solenopsis invicta)
Small, with workers mostly
3mm - 6mm long and gold to red
brown in colour. They are highly
aggressive and stings result
in painful, itchy and persistent
pustules. Stings may cause

severe allergic reactions. Red Imported fire ants are a notifiable pest species and therefore if found you must contact your local Department of Primary Industries.



Green-head ants

(Rhytidoponera spp)
Approximately 6mm in length.
Iridescent dark green head with
black thorax, abdomen and legs.
Inflicts a painful sting.



No Queen. No Colony

While the queen ant lives, the colony can be rebuilt. **Amdro**® Granular Ant Bait is carried back into the nest as food and shared with other ants, including the queen. This ensures control of the whole ant colony. While fast acting to ants, **Amdro** has a relatively low toxicity to humans and other creatures.

Amdro is effective against specific destructive ant species, namely singapore ant, coastal brown ant, tropical fire ant (ginger ant), red imported fire ant and green-head ant. It is important to be able to recognise these ants, because Amdro has been designed to be attractive to them. Other species have different food preferences and may not be attracted to the bait. For example, Amdro will not control black house ant or Argentine ants.

Easy, Acceptable and Low Risk

Amdro is a unique product that uses a tiny quantity of a relatively low toxicity insecticide to effectively control ants. Because target ants take **Amdro** back to their nest, only a small amount is required to effectively control an ant population.

The specific activity of **Amdro** also means that nontarget insect species are not harmed. This is a significant advantage over traditional insecticide sprays which rely on insecticide residues persisting on treated surfaces.

When spread over treated areas at recommended rates, **Amdro** is not hazardous to pets, livestock or children. However, **Amdro** should not be applied near waterways or in areas where it may be washed into ponds, gutters or down drains.

When not being used, the **Amdro** pack should be stored out of reach of children and animals.

Effective Use for the Greatest Value.

Amdro can be used almost anywhere, and is approved for use on gardens, lawns, parks, golf courses, sports grounds, driveways, paths, patios and other non-crop land.

Amdro should be used when ants are actively foraging for food. Early season treatment will control ant colonies while they are establishing and before they are large enough to be a serious problem.

Amdro should not be applied to wet ground, or if rain is expected, as the granules deteriorate in moist conditions. **Amdro** should be applied at a rate of 5 grams per 20 square metres.

Volume	Approximate amount of Amdro	Treated Area
15ml	5.0g	20m²
50ml	17.5g	70m²
100ml	35.0g	140m²
500ml	170.0g	680m²

Amdro can be measured by volume using a small graduated measuring container. **Amdro** should be spread evenly over areas of ant activity. For small areas, **Amdro** may be spread by hand, wearing rubber gloves.

For larger areas, a hand-held rotary spreader or equivalent spinning disk type applicator can be used.

Following treatment, there is normally a marked reduction in ant activity within one or two days. Control of large established colonies may take longer. **Amdro** should not be used in conjunction with aerosol sprays or any other ant remedy which could repel foraging ants in the area to be treated.



Situation

Gardens, golf courses, Industrial areas, Lawns, Parks, Turf, Sports grounds and other non-crop land and non-food bearing nursery stock

Pest

Singapore ant (*Monomorium destructor*), Coastal brown ant (*Pheidole megacephala*), Tropical fire ant or ginger ant (*Solenopsis geminata*), Green-head ant (*Rhytidoponera spp.*), Red imported fire ant (*Solenopsis invicta*)

Rate

2.5 kg/ha or 5g/20m²

Critical comments

Broadcast method (all ant types): Evenly distribute granules over infested area using a hand held rotary granule spreader or equivalent applicator or gloved hand.

Individual mound treatments (red imported fire ant): This treatment method should be used when fast control is required, desirable ant species are present throughout the treatment area and there are less than 50 fire ant nests or colonies per hectare. Sprinkle 50g (approximately 5 tablespoons) of product immediately around each mound.

Apply in late afternoon when ants are active. Re-treat when ant activity becomes troublesome again.

See GENERAL INSTRUCTIONS for description of ants.

Restraints

Do NOT irrigate treated areas within 24 hours of application.

Do NOT apply if rain is likely within 24 hours of application.

Do NOT use in conjunction with other ant remedies.

Do NOT apply in high conservation areas such as national/state parks and nature reserves except with the permission of appropriate authorities.

Other species have different food preferences and may not be attracted to the bait. For example, **Amdro** will not control black house ant or Argentine ants.

Amdro should be used within 3 months of opening container.

IMPORTANT INFORMATION

THIS IS NOT THE LABEL AND USERS SHOULD REFER TO THE PRODUCT LABEL FOR FULL DETAILS.

BASF Australia Ltd Level 12, 28 Freshwater Place, Southbank VIC 3006 Product Information Hotline For further information, contact Freecall 1800 006 393 www.pestcontrol.basf.com.au

Always read the product label before use. This brochure is intended as advice.

Scan the QR Code to watch Amdro Granules in action



Disclaimer: The information submitted in this publication is based on current BASF knowledge and experience. In view of the many factors that may affect its application, this data does not relieve the user from carrying out their own tests. The data does not imply assurance of certain properties or of suitability for a specific purpose. It is the responsibility of the user to ensure that any proprietary rights and existing laws and legislation are observed. © Copyright BASF 2012. ® AMDRO is a Registered Trademark licensed to BASF.